## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 08, 2019

## 1 Identification

· Product identifier

· Trade name: Rapid Tac II Application Fluid

· Other means of identification: No other identifiers

· Recommended use and restriction on use

· Recommended use: Surface preparation

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:

Rapid Tac 186 Combs Dr. Merlin, OR 97532 Phone: (541) 474-1113 Email: mail@rapidtac.com

Importer:
Interior Crafts
333 Tranquille Road
Kamloops, BC V2B 3G4
Canada

Phone: (250) 376-2052

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America) +1 (813)248-0585 (International)

## 2 Hazard(s) identification

· Classification of the substance or mixture

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



GHS07

· Signal word: Warning · Hazard statements:

H319 Causes serious eve irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements:

P261 Avoid breathing mist, vapors, or spray. Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear eye protection.

(Cont'd. on page 2)

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 08, 2019

## Trade name: Rapid Tac II Application Fluid

(Cont'd. of page 1)

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:				
107-98-2	1-methoxy-2-propanol	<ul><li>♦ Flam. Liq. 3, H226</li><li>♦ STOT SE 3, H336</li></ul>	25-50%	
1569-01-3	1-propoxypropan-2-ol	Flam. Liq. 3, H226 Eye Irrit. 2A, H319	10-25%	

<sup>·</sup> Additional information: For the wording of the listed Hazard Statements, refer to section 16.

## 4 First-aid measures

- Description of first aid measures
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Headache

Breathing difficulty

Nausea

Irritating to eyes.

Slight irritant effect on skin and mucous membranes.

Indication of any immediate medical attention and special treatment needed:

If necessary oxygen respiration treatment.

(Cont'd. on page 3)

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 08, 2019

Trade name: Rapid Tac II Application Fluid

(Cont'd. of page 2)

## 5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

- · For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information: Use large quantities of foam as it is partially destroyed by the product.

## 6 Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation.

Particular danger of slipping on leaked/spilled product.

#### Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### Methods and material for containment and cleaning up

Towel or mop up material and collect in a suitable container.

For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard.

Send for recovery or disposal in suitable receptacles.

#### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- ·Handling
- Precautions for safe handling:

Use only in well ventilated areas.

Open and handle receptacle with care.

Keep out of reach of children.

#### · Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

(Cont'd. on page 4)

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 08, 2019

Trade name: Rapid Tac II Application Fluid

(Cont'd. of page 3)

· **Specific end use(s)** No relevant information available.

## 8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:				
107-98-2 1-methoxy-2-propanol				
REL (USA)	Short-term value: 540 mg/m³, 150 ppm Long-term value: 360 mg/m³, 100 ppm			
TLV (USA)	Short-term value: 369 mg/m³, 100 ppm Long-term value: 184 mg/m³, 50 ppm			
EL (Canada)	Short-term value: 100 ppm Long-term value: 50 ppm			
EV (Canada)	Short-term value: 550 mg/m³, 150 ppm Long-term value: 365 mg/m³, 100 ppm			
LMPE (Mexico)	Short-term value: 150 ppm Long-term value: 100 ppm			

- · Exposure controls
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- Engineering controls: No relevant information available.
- Breathing equipment:

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment

No relevant information available.

· Risk management measures No relevant information available.

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 08, 2019

Trade name: Rapid Tac II Application Fluid

(Cont'd. of page 4)

9 Physical and chemical properties				
Information on basic physical and chemical properties				
· Appearance:				
Form:	Liquid			
Color:	Green			
· Odor:	Pleasant			
· Odor threshold:	Not determined.			
· pH-value at 20 °C (68 °F):	7.5 - 9.0			
· Melting point/Melting range:	Not determined.			
· Boiling point/Boiling range:	Not determined.			
· Flash point:	Product not expected to support sustained combustion.			
· Flammability (solid, gaseous):	Not applicable.			
· Auto-ignition temperature:	Not determined.			
· Decomposition temperature:	Not determined.			
· Danger of explosion:	Product does not present an explosion hazard.			
· Explosion limits				
Lower:	Not determined.			
Upper:	Not determined.			
· Oxidizing properties:	Non-oxidizing.			
· Vapor pressure at 20 °C (68 °F):	33 hPa (24.8 mm Hg)			
· Density:				
Relative density:	<1			
Vapor density:	Not determined.			
Evaporation rate:	Not determined.			
· Solubility in / Miscibility with				
Water:	Fully miscible.			
· Partition coefficient (n-octanol/wate	er): Not determined.			
· Viscosity				
Dynamic:	Not determined.			
Kinematic:	Not determined.			
· VOC content:	216 g/L			
Other information	No relevant information available.			

## 10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability:
- Thermal decomposition / conditions to be avoided: Stable at ambient temperature.
- Possibility of hazardous reactions Reacts violently with oxidizing agents.
- · Conditions to avoid Store away from oxidizing agents.
- · Incompatible materials Oxidizers

(Cont'd. on page 6)

#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 08, 2019

Trade name: Rapid Tac II Application Fluid

(Cont'd. of page 5)

· Hazardous decomposition products

Under fire conditions only: Carbon monoxide and carbon dioxide

## 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Irritating effect.
- · **Sensitization:** No sensitizing effects known.
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

#### · NTP (National Toxicology Program):

None of the ingredients are listed.

## · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

#### Probable route(s) of exposure:

Eye contact.

Ingestion.

Inhalation.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:

Due to available data on eliminability/decomposition and bioaccumulation potential, a prolonged damage of the environment is unlikely.

· Other adverse effects No relevant information available.

Page: 7/9

## **Safety Data Sheet**

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 08, 2019

Trade name: Rapid Tac II Application Fluid

(Cont'd. of page 6)

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
UN proper shipping name DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
· Transport hazard class(es)	
· DOT, ADR/RID/ADN, IMDG, IATA · Class	Not regulated.
Packing group DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
Environmental hazards Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

(Cont'd. on page 8)

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 08, 2019

#### Trade name: Rapid Tac II Application Fluid

(Cont'd. of page 7)

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

Canadian Domestic Substances List (DSL):

All ingredients are listed or exempt.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Flam. Liq. 3: Flammable liquids – Category 3

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

#### · Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

(Cont'd. on page 9)

Page: 9/9

# Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 08, 2019

Trade name: Rapid Tac II Application Fluid

(Cont'd. of page 8)

1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com